PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



(51) International Patent Classification 4:		(11) International Publication Number: WO 89/ 03695
A61L 25/00, A61K 37/36	A1	(43) International Publication Date: 5 May 1989 (05.05.89)
(21) International Application Number: PCT/Dk	488/001	(81) Designated States: AT (European patent), AU, BE (European patent), CH (European patent), DE (European patent)
(22) International Filing Date: 24 October 1988	(24.10.8	
(31) Priority Application Number:	87248	SE (European patent), SU, US.
(32) Priority Date: 23 October 1987	(23.10.8	Published
(33) Priority Country:	C	
(71) Applicant (for all designated States except US DISK GENTOFTE A/S [DK/DK]; Niels S vej 1, DK-2820 Gentofte (DK).	S): NO steenser	-
(72) Inventor; and (75) Inventor/Applicant (for US only): DOWNES [GB/GB]; 74 Mill Way, Bushey, Watford, He 2AG (GB).	3, Sand erts. WI	a 2
(74) Agent: HOFMAN-BANG & BOUTARD Aggade 15, DK-1304 Copenhagen K (DK).	/S; Add	
•		
(54) Title: BONE CEMENT INCLUDING A CE	LL GR	WTH STIMULANT
(57) Abstract		
A bone cement, comprising a physiologically a cell growth stimulant, such as human growth hor The cement will promote bone cell formation and	rmone,	ble reaction resin, such as a PMMA casting resin mixture, and suseful for healing bone fractures and repairing bone defects. ats having increased strength.
•		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT.	Austria	FR	France	ML	Mali
AU	Australia	GA	Gabon	MR	Mauritania
BB	Barbados ·	GB	United Kingdom	MW	Malawi
BE	Belgium	HU	Hungary	NL	Netherlands
BG	Bulgaria	П	Italy	NO	Norway
N	Benin	JP	Japan	RO	Romania
BR	Brazil	KP	Democratic People's Republic	SD	Sudan
Œ	Central African Republic		of Korea	SE	Sweden
œ	Congo	KR	Republic of Korea	SN	Senegal
Œ	Switzerland	Li	Liechtenstein	SU	Soviet Union
CM	Cameroon	LK	Sri Lanka	110	Chad
DE	Germany, Federal Republic of	LU	Luxembourg	TG	Togo
DK	Denmark	MC	Monaco	US	United States of America
Ā	Finland	MG	Madagascar	-	

5

20

- l -

BONE CEMENT INCLUDING A CELL GROWTH STIMULANT

The present invention relates to a bone cement which is useful for healing bone fractures, repairing bone defects and stablisation of prosthetic implants.

It is conventional to use bone cement in the fixation of prosthesis to bone in joint replacement surgery. One of the main problems associated with joint replacement using conventional bone cement, such as polymethylmethacrylate (PMMA) is aseptic loosening which is generally related to failure at the bone-cement interface. Post-operative changes occur at the bone-cement interface which can lead to a gap occurring between the bone and the cement. Eventually remodelling of the bone occurs. Any stimulus to remodelling or improvement in the quality of the bone-cement interface would be a distinct advantage in cemented joint replacement.

It is also normal practice to use a physiologically acceptable cement in healing fractured bones. The cement is applied to the fractured surfaces so that the fractured bones are kept in correct position until the healing process is finished and the fracture has grown together.

The cement may be mixed with antibiotics, such as Gentamicin, in order to avoid infections.

It has also been suggested to incorporate a bone morphogenetic protein (BMP) in the cement in order to induce formation of new bone in viable tissue, cf. US P No. 4 526 909. In the specification of this patent is disclosed a PMMA bone cement containing BMP. The composition may be supplemented with other agents as desired, such as fillers and antibiotics.

It is known that the protein BMP stimulates differentiation of connective tissue into bone cells, i.e. stimulate cartilage cells to turn into bone cells.

The present invention is based on the discovery that growth hormone stimulates proliferation of bone cells by increasing the level of IGFl in the "target" cells, and that this effect causes the bone cells to multiply, grow, produce matrix and penetrate into the cement phase.

According to the present invention there is provided

10 a bone cement, comprising a combination of physiologically acceptable reaction resin and a cell growth stimulant, preferably selected from the group consisting of somatotropins, somatomedines, parathyroid hormone (PTH), vitamin D and sex steroids.

- Useful cell growth stimulants may be selected from the following groups:
 - Bone derived bone factors
 - 2. Local regulators of bone metabolism
 - 3. Growth regulator hormones
- 20 4. Calcium regulating hormones
 - 5. Bone proteins

More specific examples of useful cell growth stimulants are:

PCT/DK88/00170

- 3 -

PREDOMINANT EFFECTS ON RESORPTION ON FORMATION

Calcium-regulating hormones		
Parathyroid hormone	+	+
1,25-dihydroxyvitamin D	+	-, (-
Calcitonin	-	0
Systemic hormones		
Growth hormone	0	(÷ _.)
Glucocorticoide	(+)	-
Thyroid hormones	+	÷
Insulin	0	÷
Estrogens .	(-)	(-)
Local factors		
Prostaglandin E ₂	+	+
Interleukin-l	+	-, (
Interferon-	_	. -
Insulin-line growth factor l	0	. ÷
Transforming growth factor-b	-, (+)	+

The preferred cell growth stimulant to be used in the invention is human growth hormone (hGH). It has been 20 shown that hGH, when it is incorporated in the cement, will increase the rate of healing of a bone fracture considerably and give a joint of increased strength.

The term "reaction resin" is used in the present concept to designate any casting resin in fluid, semi-liquid 25 dough-like or mouldable form, capable of being cured or hardened at the temperature of application, usually between 30°C and 45°C, to form a strong, hard or flexible solid.

A preferred reaction resin is a polymerizing resin, such 30 as a mixture of monomeric methyl methacrylate and powdered polymethyl methacrylate. This composition also

10

15

20

25

30

contains a catalyst and an accelerator. Examples of other useful resins are unsaturated polyesters or other liquid or mouldable polymerizing unsaturated compounds. Still other examples are ceramics and biodegradable organic galss.

Instead, a polycondensation resin can be used, such as a liquid high viscosity epoxy resin or a mixture of a di- or tri-isocyanate and a di- or triol, producing a polyurethane resin. Some polyurethane formulations will give a foamed resin, having increased flexibility and a high loading capacity for growth hormone or a similar cell growth stimulant.

In order to reduce the shrinking of the reaction resin during the curing process it can be mixed with a filler, such as Plaster of Paris or inorganic pigments or fibres. Also other additives, conventionally used in the plastics field, may be added.

According to a specific embodiment of the invention, the reaction resin may be a monomeric cyano acrylate. This material will polymerize very fast at a hydrophilic surface to a solid having a high bonding strength.

Used in total hip replacement surgery, the incorporation of hGH or a similar cell growth stimulant will result in increased bone remodelling and bone formation at the cement surface, leading to increased strength at the bone-cement interface. There is reduced risk of aseptic loosening and improved life time of the prosthesis.

The cement of the invention can be used in knee, elbow and schoulder replacement surgery or in small joint replacement, such as fingers, wrists or toes.

Instead of incorporating the hGH in the cement mixture,

- 5 -

the hGH can be applied to the bone-cement interface using supplying means, such as drainage tubes. For example, a bone fracture can be treated in the usual way using a plastic foam. A drainage tube could be inserted and after operation a solution of hGH could be introduced to the cement through the drainage tube at a controlled rate.

The cement loaded with hGH can also be used to fill and repair bone defects and osteotomies. The release of hGH from the material can lead to new bone cell formation in these areas. This application may require the use of a biodegradable polymer loaded with hGH-growth factors. The release of hGH will cause increased bone cell formation, the biodegradable polymer will eventually be resorbed and the defect will be filled with new bone.

hGH-loaded resin, such as PMMA, can be used to repair bone fractures, give joint increased strength and cause increased bone remodelling in conjunction with devices such a a plate, screw or intermedullary pin.

The invention will be further described with reference to the following examples and the drawings, considered illustrative but not limiting of the invention.

EXAMPLE 1

5 ·

A material was made from the following substances:

Powder polymethylmethacrylate polymer 20 g
Liquid methylmethacrylate monomer 10 ml
Sterilized human growth hormone (Lypophilised powder)
6 mg

To make the material, the sterile human growth hormone in powder form was added to the powder polymer component

10 .

15

20

30

of PMMA bone cement and mixed thoroughly. The liquid monomer component was then added to the mixture and mixed using a plastics spatula until a "dough-like" consistency was formed. The material was then inserted into a previously prepared bone cavity.

The growth hormone loaded cement was implanted into one femur of adult sandy lop rabbits, with plain cement in the contralateral femur as a control. One month after surgery, the rabbits were sacrificed and the bone-cement interface examined using transmission electronmicroscopy. In the plain cement the zirconium dioxide (radiopaque agent) could be seen in discreet pockets and the cement appeared clear (Fig. 1). In the growth hormone loaded cement, some invasion of the cement surface could be seen and new mineral deposited in the cement (Fig. 1). These findings were confirmed using X-ray microanalysis, and the spectra for growth hormone loaded cement gave calcium and phosporous peaks (Fig. 3), whereas spectra for the plain cement gave no calcium and phosphorous peaks (Fig. 4). These findings indicate that certain appropriate changes occur at the bone-cement interface when growth hormone loaded cement is used in vivo.

EXAMPLE 2

Animal Study Using Growth Hormone Loaded PMMA

In order to examine the <u>in vivo</u> effects of the use of growth hormone loaded cement, on the cement/bone interface, an animal model was employed.

Adult New Zealand White Rabbits between 2.5 kg and 5 kg were used. Under sterile conditions one vial human growth hormone (4.1 U) was added to each 10 gram pack of PMMA polymer component of Palacos bone cement. The cement was mixed as described above and inserted into

- 7 -

a 10 ml sterile syringe before insertion into the knee.

A medial parapatellar incision was made and access to the knee patella was dislocated laterally to expose the intercondylar area. Using 4 mm diameter drill bit the femoral medullary cavity was reamed to depth of 2 cm. Approximately 0.5 ml of cement was injected into each knee. On one side the cement was loaded with growth hormone (see above); plain cement was injected into the contralaterial femur to act as a control. Further controls were used where both femura received plain PMMA cement. The patellae were reduced and wounds closed with sutures. Post-operatively rabbits were kept unrestrained in sized cagoes (40 x 40 x 01).

The rabbits were divided into three groups which were sacrificed using an overdose of Euthatal (100 mg in 5 ml) after 1 month, 2 months and 4 months, respectively. The femora were removed and processed for histology.

Histology of the Bone-Cement Interface

5

10

15

The sections were prepared to include undecalcified bone
and intact bone cement making it possible to examine
the bone-cement interface intact. Examination of the
histology sections revealed that viable bone was growing
in direct contact with the PMMA bone cement. When considering PMMA as a drug delivery system it is important
to establish whether the "target" tissue was in contact
with the cement, this was clearly the case.

Electronmicroscopy studies revealed that viable bone cells were growing in direct contact with the growth hormone loaded cement.

One month after surgery:
The bone-cement interface was found to be composed of

20

25

between 14-21% mineralised bone, 28-52% osteoid bone and 41-60% cells. In all cases the knee containing growth hormone loaded PMMA contained a higher percentage of osteoid at the bone-cement interface than in the knee containing plain bone cement. This was statistically significant (P<0.01).

At two and four months the difference between the hGH loaded and plain cement interface became gradually less.

Findings

- Viable bone cells grow along the cement surface and any GH released will reach the "target" bone cells.
 - 2. Blood vessels are seen in the mineralised bone close to the cement interface - therefore remodelling of the bone can be expected.
- 3. Remodelling of the bone occurs over a period of 4 months after surgery.
 - 4. A significantly higher percentage of osteoid is formed at the hGH loaded cement interface, one month after surgery, as compared with the control knees containing unloaded cement. The healing is accelerated.

The results of this preliminary trial indicate that there was an early response of the osteoblast cells to growth hormone, resulting in increased formation of osteoid one month after implanting the cement. These findings may be important because early stimulation of bone remodelling will bring skeletal cells and matrix to the cement surface thus strengthening the bond at the bone-cement interface.

The in vivo results of the rabbits experiments may be

important to the problem of aseptic loosening. The precise mechanism of early loosening is not fully understood, but it has been postulated that the primary cause is the shrinkage of cement in the bone cavity and accompanying bone necrosis. Under such circumstances, it would initiate a rapid synthetic response following prosthetic replacement. This was clearly seen in the growth hormone loaded cement series when analysed after one month.

Patent Claims:

- 1. A bone cement, comprising a combination of a physiologically acceptable reaction resin and a cell growth stimulant, selected from the group consisting of somatotropins, somatomedines, parathyroid hormone (PTH), vitamin D and sex steroids.
- 2. A cement according to claim 1, wherein the cell growth stimulant is human growth hormone (hGH).
- A cement according to claim 1, wherein the reaction
 resin is a liquid or mouldable polymerizing casting resin.
 - 4. A cement according to claim 1, wherein the reaction resin is a liquid or mouldable polycondensation resin.
 - 5. A cement according to claim 1, wherein the reaction resin is a foam-forming mouldable mixture.
- 6. A cement according to claim 1, wherein the reaction resin is a monomeric cyano acrylate.
 - 7. A cement according to claim 1 and 2, comprising a) a monomeric acrylic compound, and b) a mixture of powdered polymethylmethacrylate, human growth hormone and optionally fillers, pigments, catalysts, accelerators and other usual components.
 - 8. A cement according to claim 5, also comprising means for supplying a growth stimulant containing solution to the moulded foam.
- 9. A method of joining bone surfaces to each other or to a prosthesis, wherein a combination of a reaction resin and a cell growth stimulant, selected from the

5

10

- 11 -

group consisting of somatotropins, somatomedins, parathyroid hormone (PTH), vitamin D and sex steroids, is applied to the surfaces to be joined, whereafter the reaction resin is cured while the surfaces are in intimate contact with each other.

- 11. A method of reparing bone defects, wherein a combination of a reaction resin and a growth stimulant, selected from the group consisting of somatotropins, somatomedins, parathyroid hormone (PTH), vitamin D and sex steroids, is applied to the defective parts of the bone and cured.
- 12. A method according to claim 10 or 11, wherein the combination consists of a monomeric acrylic compound and a mixture of powdered polymethylmethacrylate, catalysts, accelerators, fillers or other usual additives, and human growth hormone.
 - 13. A bone cement, comprising a combination of a physiologically acceptable reaction resin and a cell growth stimulant.

1/4






Fig. 1

2/4




Fig. 2





Ŀ





ŝ

INTERNATIONAL SEARCH REPORT

International Application No PCT/DK88/00170

I. CLASS	1. CLASSIFICATION OF SUBJECT MATTER (it several classification symbols apply, indicate all) *			
According to International Patent Classification (IPC) or to both National Classification and IPC				
A 61	L 25/0	O, A 61 K 37/36		
II. FIELDS	SEARCHED		atten Consolind 1	
-		Minimum Document	lassification Symbols	
Classification	on System I		SEPERIOR DYMOOD	
IPC	4	A 61 L; A 61 K		
	.,.	Documentation Searched other the to the Extent that such Documents and the search of t	an Minimum Documentation are included in the Fields Searched ⁹	
SE,	NO, DK	, FI classes as above	₽•	
III. DOCU	MENTS CON	SIDERED TO BE RELEVANT		
Category *	Citation	of Document, 11 with Indication, where appr	opriate, of the relevant passages 12	Relevant to Claim No. 13
Х	3-21	, O 198 213 (YEDA RE MENT COMPANY, LTD. 22 October 1986 See page 5, line 8 JP, 61222452)	1-8,13
Α	US, A,	4 526 909 (MARSHAL 2 July 1985 . See the whole docu		1-8, 13
А		4 620 327(ARNOLD I 4 November 1986 See the whole docu WO, 86/00526 EP, 0188552		1-8, 13
"A" dod cor "E" ear filir	cument defining naidered to be lier document t ng date	cited documents: 10 the general state of the art which is not of particular relevance out published on or efter the international may throw doubts on priority cleim(s) or	"T" later document published after or priority date and not in conficited to understand the princip invention "X" document of particular relevar cannot be considered novel or involve an inventive step	iet with the application of le or theory underlying the ice; the claimed invention r cannot be considered to
"L" document which may throw doubts on priority cleim(s) or which is cited to establish the publication date of another citation or other apecial reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but fater than the priority date claimed "Involve an inventive step "Y" document of particular relevance; the cleimed in cennot be considered to involve an inventive step "Y" document of particular relevance; the cleimed in cennot be considered to involve an inventive step "Y" document of particular relevance; the cleimed in cennot be considered to involve an inventive step "Y" document of particular relevance; the cleimed in cennot be considered to involve an inventive step "Y" document of particular relevance; the cleimed in cennot be considered to involve an inventive step.		or more other such docu- obvious to a person skilled		
	IFICATION			
Date of th	e Actual Comp	letion of the International Search	Dete of Mailing of this International S	_
198	8-12-23		1988 -01- 3	30
Internation	nal Searching	Authority	Signature of Authorized Officer	
	4: _ b D =	took Office	Hans Thrister Jo	nsson

FURTHER INFORMATION CONTINUED FROM THE SECOND SHEET
·
·i
V. OBSERVATIONS WHERE CERTAIN CLAIMS WERE FOUND UNSEARCHABLE
This international search report has not been established in respect of certain claims under Article 17(2) (a) for the following reasons: 1. Claim numbers 9 2 Decause they relate to subject matter not required to be searched by this Authority, namely:
1. X Claim numbers
Methods for treatment of the human or animal body
by surgery or therapy, as well as diagnostic methods.
2. Claim numbers
ments to such an extent that no meaningful international search can be carried out, specifically:
, t
3. Claim numbers because they are dependent claims and are not drafted in accordance with the second and third sentences of
PCT Rule 6.4(a).
MIT AREPWAREAUS WITHER INTERVACE INVENTIGATION AS A AMERICA
VI. OBSERVATIONS WHERE UNITY OF INVENTION IS LACKING 2
This international Searching Authority found multiple inventions in this international application as follows:
1. As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims
of the international application.
As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims of the international application for which fees were paid, specifically claims:
8. No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to
the invention first mentioned in the claims; it is covered by claim numbers:
4. As all searchable claims could be searched without effort justifying an additional fee, the international Searching Authority did not
invite payment of any additional fee.
Remark on Protest
The additional search fees were accompanied by applicant's protest.
No protest accompanied the payment of additional search fees.